



- NOTES:**
- GATE LATCH TO BE MAGNA LATCH 3 AS PER ATTACHED SPECIFICATIONS. FENCE DATA & LATCH DATA SHEETS VERIFY COMPLIANCE WITH SECTION 2015 ISPS/305.1 AND 2015 ISPS/305.3
 - ALL EXTERIOR ELECTRICAL TO BE UNDERGROUND. PVC CONDUIT IS REQUIRED. GFI PROTECTION REQUIRED. GROUNDING & BONDING TO BE COMPLIANT WITH 2015 IRC/CHAPTER 42 AS WELL AS 2014 NEC/ART. 680. VERIFY COMPLIANCE WITH SECTION 2015 ISPS/302.1
- E — E — E — INDICATE 20 AMP ELECTRICAL CIRCUITS



- △ SHOWED PUMP/HEATER - POOL LIGHT - (4) RECEPTACLES AND (4) 20 AMP DEDICATED CIRCUITS - SEE NOTE 2.
- △ ACCESS GATES - SELF CLOSING / SELF LATCHING - SEE NOTE 1.
- △ SHOWED EXISTING CARPORT ON PLAN
- △ LABELED HEIGHTS OF NEW RETAINING WALL. NOT TO EXCEED 6'-0"
- △ SHOWED PROPERTY LINES OF SITE PLAN AS PER SURVEY.

SWIMMING POOL INSTALLATION AND WALL/CONCRETE MODIFICATION

242 BIGHAM STREET
PITTSBURGH PA 15211

RESIDENCE OF LORRAINE E. & MARK J. DINATALE

SCALE
1/4" = 1'-0"