



Text File

Introduced: 4/24/2008

Bill No: 2008-0322, Version: 1

Committee: Committee on Land Use and
Economic Development

Status: Passed Finally

Presented by Rev. Burgess

Ordinance amending the Pittsburgh Zoning Code, Article III - Overlay Zoning Districts, Chapter 906 - Environmental Overlay Districts, by making technical corrections at subsection 906.07.E.1(e), correcting the Storm Frequency Table for release rates in the Girty's Run Watershed, and at sub-section 906.07.F.2 - Storm Frequencies in the Monongahela River Watershed, correcting the Storm Frequency Table for peak stormwater discharge.

Be it resolved by the Council of the City of Pittsburgh as follows:

Section 1. The Pittsburgh Zoning Code, Article III - Overlay Zoning Districts, Chapter 906 - Environmental Overlay Districts, is amended by making technical corrections at subsection 906.07.E.1(e), correcting the Storm Frequency Table for release rates in the Girty's Run Watershed, and at sub-section 906.07.F.2 - Storm Frequencies in the Monongahela River Watershed, correcting the Storm Frequency Table for peak stormwater discharge, as follows:

906.07.E.1 Girty's Run

...

(e) The release rate percentages area:

TABLE INSET:

Subarea 26	70%	(2, 5, 10 year storms)
	55%	(50, 100 year storms)
Subarea 27	55%	(2, [4] 5, 10 year storms)
	100%	(50, 100 year storms)

...

906.07.F.2 Storm Frequencies

Stormwater management facilities on all development sites shall control the peak stormwater discharge for the 2-, 10-, 25-, and 100-year storm frequencies. The SCS 24-hour, Type II Rainfall Distribution shall be used for analyzing stormwater runoff for both pre and post development conditions. The 24-hour total rainfall for these

Introduced: 4/24/2008

Bill No: 2008-0322, **Version:** 1

Committee: Committee on Land Use and
Economic Development

Status: Passed Finally

storm frequencies in the watershed are:

TABLE INSET:

2 year	2.50 inches
[5] <u>10</u> year	3.61 inches
[10] <u>25</u> year	4.31 inches
100 year	5.71 inches